




SERIES



FORM FOLLOWS SUNSHINE

Striking design meets innovative technology.

The new K-Series from KBL captivates not only with its ravishing appearance, but also with its trendsetting technology.

Born from the pen of Etienne Salomé, a designer known for his work for Bugatti automobiles, the new solarium series


has gained its unique design with many possible variations. A mesmerizing combination of form and light, combined with state-of-the-art technology, creates a whole new feeling of ultimate relaxation during a short holiday.


With its dimensions of 2300 mm width and 1373 mm depth, the K-Series by KBL is also ideal for smaller cabin sizes, and is thus the optimal choice for fitness studios.

K7

To infinity and beyond.

Infinity Mirror





TO INFINITY AND BEYOND

One of the highlights of the K-Series is the Infinity Mirror. Light effects create a sense of depth that seems to extend to infinity. A magical illusion that never fails to fascinate from any angle.

The new SmartControl Display allows the selection of almost unlimited color combinations of the RGBW LEDs, which adapt perfectly to any environment.

| Infinity Mirror & LED Lighting





SHINE WITH DESIGN


The LightArt design version of the K-Series offers numerous individual motifs that make it an absolute eye-catcher. Its design creates a very special vibe and reflects the spirit of the company.




FLEXIBILITY & DURABILITY

The LightArt design is based on two production processes. The polymer banner technology facilitates maximum flexibility and quick design changes. For even more robust use, the design can alternatively be printed on acrylic panels.

| LightArt Panel





DYNAMIC COLORS

The K-Series is available in 3 different chassis colors. Magic Silver, Copper Rose and Wonder White. All matched to each other. This color concepts satisfies every wish.

STRIKING OPTICS

Magic Silver

TRENDSETTER

Copper Rose

RADIANT APPEARANCE


Wonder White

CHASSIS K6 K6S

42 **04**
LAMPS FACIALS

Lightselect: hybridSun, extraSun, smartSun

Face: pureFacials, SunSphere Facials



CHASSIS K7 K7S


46 **04**
LAMPS FACIALS

Lightselect: hybridSun, extraSun, smartSun

Face: pureFacials, SunSphere Facials



| form follows sunshine



SUNSPHERE

A QUANTUM LEAP IN UV TECHNOLOGY.



SunSphere
UVA-LED's



SunSphere
Beauty LED's



UVB-
ThinLights



SunSphere
Facials



SunSphere
Shoulders

With the success of the P9S, LED technology has become an integral part of the sunbed sector. This quantum leap in terms of spectral technology is now continued in the K6S and K7S. High-performance LEDs generate


the desired wavelengths for a beautiful and gentle tan. At the same time, aspherical lenses in front of the LEDs guarantee absolutely even illumination of the face and décolleté. **See and feel the results instantly.**

UNCOMPROMISING EFFICIENT

SunSphere technology produces a balanced spectrum for excellent tanning results - with significantly lower energy consumption. The considerably reduced electricity demand and the much longer service life compared to conventional high-pressure bulbs save energy and purchase costs in the long term. This efficient technology now also features in the K-Series.



=




120 W Facials
20 W Shoulders

800 W HP-Bulb
250 W HP-Bulb

EXAMPLE: 120 W SUNSPHERE FACIALS ARE EQUAL TO THE TANNING PERFORMANCE OF A 800 W HIGH PRESSURE-BULB.

UV TECHNOLOGY



140 UVA LEDs

A beautiful tan - just the way you like it. 140 blue UVA LEDs guarantee optimally dosed direct pigmentation of the face and décolleté.

3 UVB SPECIAL LAMPS

The perfectly balanced dose from three yellow special UVB lamps builds up new colour pigments in the skin and stimulates vitamin D production.

56 BEAUTY LEDs


During the tanning session, the K6S and K7S treat the face and décolleté with 56 red Beauty LEDs and at the same time stimulate the oxygen supply to the skin. For a stunning complexion and a velvety-soft skin feeling.





SUNSHINE ALL AROUND

FOR THE FIRST TIME, LED TECHNOLOGY AS STANDARD
IN MEGASUN SHOULDER TANNERS.




The high-power LEDs and aspherical glass lenses guarantee a flawless complexion and maximum tanning comfort in the shoulder area. This is a completely new technology standard that distinguishes the K-Series.

12 UVA LEDs

2 BEAUTY LEDs

NEW VENTILATION CONCEPT



A FRESH FACE

With AirBreeze, the K-Series is breaking new ground in ventilation technology for sunbeds. The individually adjustable ventilation intensity for the body and face offers maximum comfort. In addition, the direction of the air flows in the décolleté and face area can be adjusted individually.

SOOTHING BREEZE

For the first time, the air is pleasantly distributed over the entire tanning tunnel by two completes continuous air outlets. A draught-free foot fan rounds off the system. For an even cooler relaxation.




AirBreeze Face 

AirBreeze Body 


Airflow in best shape.

AirPro 






NANO
BEAUTY
LED'S



BEAUTIFYING REDLIGHT.

The K-Series also sets unique standards in skin care:
More than 2.000 red Nano Beauty LEDs evenly distributed
over the body provide gentle care for the face, décolleté
and body.
With their special wavelength range, they stimulate oxy-
gen supply and natural collagen build-up of the skin. The
effect of the Beauty LEDs ensures a healthy complexion
and noticeably softer skin.



BeautyBooster Pro 



INTUITIVE TOUCH CONTROL

On the outside, the desired settings can be selected on a 10" display before the tanning session. Tanning studio operators also have access to a completely redesigned service menu via the external Touch displays. A new user interface makes tanning even easier. In the interior, all relevant parameters can be set easily and quickly on a 7" display during the tanning session.

| 7" SmartControl 



AMAZING SOUND

The new K-Series 3D Soundbar provides crystal-clear highs, powerful mids and rich bass in the tanning tunnel. Optimally controlled by a digital sound processor. Solarium users can choose between music or, for the first time, relaxation sounds. They can also listen to their own playlists via Bluetooth.

| 3D Soundbar 

Comfort at your fingertips.

| 10" SmartControl 



| form follows sunshine



NEW ELECTRONICS

The heart of the K-Series is the completely new electronics. It has been entirely redeveloped and sets a totally new standard for future-oriented technology. This includes the innovative user interface which can be used to operate the solarium, simple in a comfortable way.


| KBL 8





FULLY CONNECTED

The solarium of tomorrow convinces with its diverse networking possibilities. With the K-Series, studio owners can centrally monitor the status of all units that are equipped accordingly. Diagnoses and software updates can be retrieved in the future via WLAN and network connection.

| WLAN & Connectivity





RELAX & ENJOY

For the first time, unique relaxation is provided not only by AirCondition but also by the individually adjustable dosage of the invigorating AquaCool mist. Scented air creates a unique fragrance experience, inspiring pleasure for all the senses. Users can completely relax during their tanning session and unwind from the daily grind.

| AquaCool & Aroma



| AirCondition



ENERGIZE YOUR PHONE


The inductive energy transfer is an ideal complement to its Bluetooth function. Wireless Charging for all suitable smartphones. Simply place the mobile phone in the mould in the surface and it will be charged. This allows your customers to recharge their body, mind and mobile phone at the same time.

| Wireless Charging



Uplifting Mechanics.


| LiftPro




LIGHTSELECT - CHOOSE THE ONE

K7

hybridSun




1 2 3 4 5 6 7 8 9 10




*Exemplary comparative depiction

K7

extraSun




1 2 3 4 5 6 7 8 9 10




*Exemplary comparative depiction

K7

smartSun



1 2 3 4 5 6 7 8 9 10



*Exemplary comparative depiction

LIGHTSELECT - CHOOSE THE ONE

K 6

K 7

K 6 S

K 7 S

pureSunlight

Intensive sunlight for optimal tanning results.

extraSunlight

Sunlight with high UVB content for pigment development and vitamin D production.

smartSunlight

Sunlight combined with skin-caring beauty light.

pureFacials

Intensive sunlight for face and décolleté.

SunSphere Facials

Balanced spectrum of UVA and Beauty LEDs in combination.

SunSphere Shoulders

Balanced spectrum of UVA and Beauty LEDs.

hybridSun	28 > 2000 BeautyBooster Pro LEDs	14 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs
	32 > 2000 BeautyBooster Pro LEDs	14 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs
extraSun	36 > 2000 BeautyBooster Pro LEDs	6 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs
	40 > 2000 BeautyBooster Pro LEDs	6 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs
smartSun	42 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs	
	46 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs	

	28 > 2000 BeautyBooster Pro LEDs	14 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs	hybridSun
	32 > 2000 BeautyBooster Pro LEDs	14 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs	
	36 > 2000 BeautyBooster Pro LEDs	6 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs	extraSun
	40 > 2000 BeautyBooster Pro LEDs	6 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs	
	42 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs		smartSun
	46 > 2000 BeautyBooster Pro LEDs	4 > 2000 BeautyBooster Pro LEDs	2 > 2000 BeautyBooster Pro LEDs		

INDIVIDUAL CONFIGURATION




optional feature

Additional equipment options become a highlight in every studio.


defined standard

Convincing standard equipment for pleasant tanning.

	DEVICE-SPECIFIC DATA			
	K 6	K 7	K 6 S	K 7 S
AirBreeze Face				
AirBreeze Body				
BeautyBooster Pro				
SmartControl 7"				
Wireless Charging				
3D Soundbar				
AirCondition				
AquaCool				
Aroma				
Bluetooth				
Connectivity				
SmartControl 10"				
SunSphere Shoulders				
Videofunktion				
Voice Assist				



TECHNICAL DATA



Dimensions (mm) Length x Width x Height

Closed:	2.300 mm x 1.373 mm x 1.397 mm
Open:	2.300 mm x 1.271 mm x 1.947 mm
	h with exhaust 2.096 mm



DEVICE-SPECIFIC DATA

	K 6	K 7	K 6 S	K 7 S
Maximum power consumption	12,6 kW	13,3 kW	10,5 kW	11,2 kW
Maximum power consumption (without aircon)	11,4 kW	12,1 kW	9,3 kW	10,0 kW

GENERAL DATA

Weight	ca. 705 kg (incl. aircon)
Bed pane max. load capacity	max. 150 kg

Electrical data Connection

Main voltage	400 V / ~3N / 50 Hz
Breaker	K-Automat 3-polig / 3 x 25 A mit FI (RCD)


Ambient conditions – In dry rooms (booths) with sufficient airing and ventilation

Recommended room size:	2.500 mm (Width) x 2.200 mm (Depth)
Maximum relative air humidity:	70%
Maximum room temperature:	30°C
Minimal distance to side walls:	100 mm
Minimum room height:	2.400 mm
Distance to backwall:	0 mm



“DESIGN IS COMMUNICATION.


This is no pure styling, the process started from the technology, from the inside of the product, and evolved into a new DNA and creation of a new family of products, all recognizable and unique but all fitting each other’s. The new design is pure but mostly modular, created to make every machine unique”.

- Etienne Salomé -



Etienne





SERIES

KBL GmbH – The Beauty & Health Company · Ringstraße 24-26 · 56307 Dernbach
fon +49 (0) 26 89 - 94 26 - 0 · fax +49 (0) 26 89 - 94 26 - 66 · e-mail: info@kbl.de

www.megaSun.de



Copyright 2022 KBL GmbH, Germany

Errors and omissions possible. KBL reserves the right to change technical data or specifications without notice.

Art.-Nr. 3010170289